

Mono Machines NSA Approved Shredders

Click Here --->

For More Info



***NSA/CSS EPL-02-01-AB
Annex A to NSA/CSS 02-01
29 October 2010***

**NSA/CSS EVALUATED PRODUCTS LIST
for
HIGH SECURITY CROSSCUT PAPER SHREDDERS**

The Evaluated Products List (EPL) contains a listing of high security crosscut paper shredders that have been evaluated by the National Security Agency (NSA) or its designee and meet the performance requirements of NSA/CSS Specification 02-01, High Security Crosscut Paper Shredders. Inclusion of a product in the EPL is not an endorsement by NSA or the U.S. Government.

The EPL provides the shredder device name and/or model number, the manufacturer, and appropriate contact data for the distributor and/or marketing agent. Shredders are listed alphabetically by distributor name. The EPL also describes the shredder feed throat width and quantity of paper shredded in a one hour durability test.¹

This EPL captures all high security crosscut shredders evaluated to NSA/CSS 02-01 since August, 2002. Models are not removed from the EPL, even though they may no longer be in production. The EPL shall be updated on an as-needed basis (as new models are successfully evaluated). Users are encouraged to contact shredder manufacturers /distributors for assistance in selecting unit(s) best suited to their requirements, and to determine if a specific model not listed meets the security and performance requirements of NSA/CSS 02-01. ONLY shredders that meet NSA/CSS 02-01 requirements are to be used for classified applications.

The procedures for administration and distribution of the EPL are subject to change without notice. Inquiries from U.S. Government users should be forwarded through designated customer support channels to the NSA Information Assurance Directorate. All other inquiries should be directed to the NSA Public Affairs Office.

¹ All tests were performed using uncoated, sheet cut (8.5 x 11 inch) twenty (20) pound weight copy paper, 500 sheets per ream

Device Name/ Model	Distributor Reseller/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Dahle/ 20434 DS	Mono Machines/ Dahle North America, Inc.	Mono Machines PO Box 2620 Monroe, MI 48161 www.monomachines.com government@monomachines.com 800-592-1306 877-225-8755 fax	9 inches	4 reams when feeding 3 sheets
Dahle/ 20634 EC	Mono Machines/ Dahle North America, Inc.	Mono Machines/ www.monomachines.com	10 inches	10 reams when feeding 3 sheets
Dahle/ 20834 EC	Mono Machines/ Dahle North America, Inc.	Mono Machines/ www.monomachines.com	16 inches	15 reams when feeding 8 sheets
Dahle/ 20835 EC	Mono Machines/ Dahle North America, Inc.	Mono Machines/ www.monomachines.com	16 inches	11 reams when feeding 5 sheets
Dahle/ 20394	Mono Machines/ Dahle North America, Inc.	Mono Machines/ www.monomachines.com	16 inches	15 reams when feeding 8 sheets
Dahle/ 20434	Mono Machines/ Dahle North America, Inc.	Mono Machines/ www.monomachines.com	12 inches	10 reams when feeding 4 sheets
Dahle/ 30434	Mono Machines/ Dahle North America, Inc.	Mono Machines/ www.monomachines.com	12 inches	10 reams when feeding 4 sheets
Dahle/ 33134	Mono Machines/ Dahle North America, Inc.	Mono Machines/ www.monomachines.com	12 inches	10 reams when feeding 4 sheets
Fellowes Powershred 300 HS	Mono Machines/ Fellowes	Mono Machines/ www.monomachines.com	9 inches	5 reams when feeding 3 sheets
Fellowes/ HS-400	Mono Machines/ Fellowes	Mono Machines/ www.monomachines.com	9 inches	4 reams when feeding 3 sheets
Fellowes Powershred 440-HS	Mono Machines/ Fellowes	Mono Machines/ www.monomachines.com	9 inches	5 reams when feeding 3 sheets

Click Here --->



For More Info

Device Name/ Model	Distributor Reseller/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Fellowes Powershred 660-HS	Mono Machines/ Fellowes	Mono Machines PO Box 2620 Monroe, MI 48161 www.monomachines.com government@monomachines.com 800-592-1306 877-225-8755 fax	10 1/4 inches	15 reams when feeding 6 sheets
Fellowes Powershred 700HS	Mono Machines/ Fellowes	Mono Machines/ www.monomachines.com	10 1/4 inches	15 reams when feeding 7 sheets
Fellowes/ HS-800	Mono Machines/ Fellowes	Mono Machines/ www.monomachines.com	16 inches	15 reams when feeding 8 sheets
Fellowes Powershred 880-HS	Mono Machines/ Fellowes	Mono Machines/ www.monomachines.com	15 1/4 inches	14 reams when feeding 6 sheets
Fellowes Powershred 1000HS	Mono Machines/ Fellowes	Mono Machines/ www.monomachines.com	11 3/4 inches	21 reams when feeding 10 sheets
Fellowes Powershred 1010-HS	Mono Machines/ Fellowes	Mono Machines/ www.monomachines.com	11 3/4 inches	21 reams when feeding 10 sheets
Formax / 8400HS	Mono Machines/ Formax	Mono Machines/ www.monomachines.com	12 inches	8 reams when feeding 3 sheets
Formax / 8500HS	Mono Machines/ Formax	Mono Machines/ www.monomachines.com	16 inches	10 reams when feeding 4 sheets
HSM / 125.2HS Level 6	Mono Machines/ HSM GMBH	Mono Machines/ www.monomachines.com	10.5 inches	9 reams when feeding 3 sheets
HSM / 125.2HS L6 FD	Mono Machines/ HSM GMBH	Mono Machines/ www.monomachines.com	10.5 inches	9 reams when feeding 3 sheets

Click Here --->



For More Info

Device Name/ Model	Distributor Reseller/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
HSM / 225.2HS Level 6	Mono Machines/ HSM GMBH	Mono Machines PO Box 2620 Monroe, MI 48161 www.monomachines.com government@monomachines.com 800-592-1306 877-225-8755 fax	12 inches	11 reams when feeding 5 sheets
HSM / 390.2HS Level 6	Mono Machines/ HSM GMBH	Mono Machines/ www.monomachines.com	16 inches	11 reams when feeding 4 sheets
HSM / 411.2HS Level 6	Mono Machines/ HSM GMBH Models prior to June 1, 2010	Mono Machines/ www.monomachines.com	16 inches	15 reams when feeding 8 sheets
HSM / 411.2HS Level 6	Mono Machines/ HSM GMBH	Mono Machines/ www.monomachines.com	16 inches	25 reams when feeding 10 sheets
HSM Securio P36L6 HS	Mono Machines/ HSM GMBH	Mono Machines/ www.monomachines.com	13 inches	15 reams when feeding 7 sheets
HSM Securio B24L6 HS	Mono Machines/ HSM GMBH	Mono Machines/ www.monomachines.com	9.5 inches	5 reams when feeding 3 sheets
HSM Securio B34L6 HS	Mono Machines/ HSM GMBH	Mono Machines/ www.monomachines.com	12.2 inches	8 reams when feeding 5 sheets
Kobra 240 HS6	Mono Machines/ Elcoman/Kobra	Mono Machines/ www.monomachines.com	9.5 inches	4 reams when feeding 3 sheets
Kobra 260 HS6	Mono Machines/ Elcoman/Kobra	Mono Machines/ www.monomachines.com	10.25 inches	4 reams when feeding 3 sheets

Click Here --->



For More Info

Device Name/ Model	Distributor Reseller/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Kobra 260 HS2/6	Mono Machines/ Elcoman/Kobra	Mono Machines PO Box 2620 Monroe, MI 48161 www.monomachines.com government@monomachines.com 800-592-1306 877-225-8755 fax	10.25 inches	8 reams when feeding 4 sheets
Kobra 300 HS6	Mono Machines/ Elcoman/Kobra	Mono Machines/ www.monomachines.com	12 inches	8 reams when feeding 4 sheets
Kobra 400 HS6	Mono Machines/ Elcoman/Kobra	Mono Machines/ www.monomachines.com	16 inches	17 reams when feeding 8 sheets
Kobra 400 HS6 Combi	Mono Machines/ Elcoman/Kobra	Mono Machines/ www.monomachines.com	9.5 inches	10 reams when feeding 6 sheets
Olympia/ 1300.1C	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	9.5 inches	8 reams when feeding 3 sheets
Olympia/ D1300.1C Deployment Shredder	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	9.25 inches	8 reams when feeding 3 sheets
Olympia/ 1500.1C	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	10.25 inches	15 reams when feeding 5 sheets
Olympia/ D1500.1C	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines PO Box 4668 #9340 New York, NY 10163-4668 www.monomachines.com government@monomachines.com 800-592-1306 877-225-8755 fax	10.25 inches	15 reams when feeding 5 sheets

Click Here --->



For More Info

Device Name/ Model	Distributor Reseller/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Olympia/ 1650.1C	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines PO Box 2620 Monroe, MI 48161 www.monomachines.com government@monomachines.com 800-592-1306 877-225-8755 fax	16 inches	11 reams when feeding 5 sheets
Olympia/ 1702.1C	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	16 inches	19 reams when feeding 8 sheets
Olympia/ 1750.1C	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	9.25 inches	23 reams when feeding 8 sheets
Olympia/ 1800.1C	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	12 inches	15 reams when feeding 8 sheets
SEM/ 126C/2	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	10 1/2 inches	9 reams when feeding 3 sheets
SEM/ 226C/2	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	12 inches	11 reams when feeding 5 sheets
SEM/ 244/3	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	10 1/4 inches	8 reams when feeding 4 sheets
SEM/ 244/4	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	10 1/4 inches	15 reams when feeding 7 sheets
SEM/ 266/3 (formerly 266)	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	12 1/2 inches	21 reams when feeding 8 sheets
SEM/ 266/4	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	12 1/2 inches	21 reams when feeding 10 sheets
SEM/ 391C/2	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	16 inches	11 reams when feeding 4 sheets
SEM/ 412C/2	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	16 inches	15 reams when feeding 8 sheets

Click Here --->



For More Info

Device Name/ Model	Distributor Reseller/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
SEM 1201CC	Mono Machines/ Meiko Shokai Co. Ltd	Mono Machines PO Box 2620 Monroe, MI 48161 www.monomachines.com government@monomachines.com 800-592-1306 877-225-8755 fax	11 3/4 inches	18 reams when feeding 6 sheets
SEM/ 1324C/3 (formerly 1124C/3)	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	9 inches	5 reams when feeding 3 sheets
SEM/ 2226CC/3	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	10 1/4 inches	15 reams when feeding 6 sheets
SEM/ 3140C/3	Mono Machines/ Security Engineered Machinery <i>Models sold prior to July 31, 2007</i>	Mono Machines/ www.monomachines.com	16 inches	14 reams when feeding 5 sheets
SEM/ 3140C/3	Mono Machines/ Security Engineered Machinery <i>Models sold after to August 1, 2007</i>	Mono Machines/ www.monomachines.com	16 inches	11 reams when feeding 4 sheets
SEM/ 1324C/3 DEP	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	8 3/4 inches	4 reams when feeding 3 sheets
SEM/ 244/3 DEP	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	10 1/4 inches	8 reams when feeding 4 sheets
SEM/ 4140C/4	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	15.25 inches	14 reams when feeding 6 sheets
SEM/ 5140C/4 (formerly 5140C/3)	Mono Machines/ Security Engineered Machinery	Mono Machines/ www.monomachines.com	16 inches	23 reams when feeding 8 sheets
Destroyit/ 2360 SMC	Mono Machines/ MBM Corporation	Mono Machines/ www.monomachines.com	9 inches	5 reams when feeding 3 sheets

Click Here ---->



For More Info


Device Name/ Model	Distributor Reseller/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Destroyit/ 2600 SMC	Mono Machines/ MBM Corporation	Mono Machines PO Box 2620 Monroe, MI 48161 www.monomachines.com government@monomachines.com 800-592-1306 877-225-8755 fax	10.25 inches	11 reams when feeding 5 sheets
Destroyit/ 2602 SMC	Mono Machines/ MBM Corporation	Mono Machines/ www.monomachines.com	10.25 inches	11 reams when feeding 5 sheets
Destroyit/ 2603 SMC	Mono Machines/ MBM Corporation	Mono Machines/ www.monomachines.com	10.25 inches	11 reams when feeding 5 sheets
Destroyit/ 2604 SMC	Mono Machines/ MBM Corporation	Mono Machines/ www.monomachines.com	10.25 inches	11 reams when feeding 5 sheets
Destroyit/ 4002 SMC	Mono Machines/ MBM Corporation	Mono Machines/ www.monomachines.com	16 inches	14 reams when feeding 5 sheets
Destroyit/ 4005 SMC or 4014/2	Mono Machines/ MBM Corporation	Mono Machines/ www.monomachines.com	16 inches	23 reams when feeding 8 sheets
Intimus/ 007SF	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	12 inches	26 reams when feeding 10 sheets
Intimus/ 0077SF	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	9.25 inches	23 reams when feeding 8 sheets

Click Here ---->

For More Info



Device Name/ Model	Distributor Reseller/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Intimus/ 0077SL	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines PO Box 2620 Monroe, MI 48161 www.monomachines.com government@monomachines.com 800-592-1306 877-225-8755 fax	12 inches	15 reams when feeding 8 sheets
Intimus/ 302SF	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	9 1/4 inches	8 reams when feeding 3 sheets
Intimus/ 502SF	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	10.25 inches	15 reams when feeding 5 sheets
Intimus/ 602SF	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	16 inches	11 reams when feeding 5 sheets
Intimus/ 702SF	Mono Machines/ Martin Yale Industries, Inc.	Mono Machines/ www.monomachines.com	16 inches	19 reams when feeding 8 sheets

Click Here --->  For More Info